

CLAIMS

1. A power supply apparatus comprising:
a semiconductor element, disposed in the path of a
main current that is a subject of power control, and formed
5 by using a GaN compound; and
a control unit which controls conduction of the main
current flowing through said semiconductor element.
2. The power supply apparatus according to claim 1,
10 wherein said semiconductor element is provided in plurality,
and said semiconductor elements are connected in parallel.
3. The power supply apparatus according to claim 2,
wherein said semiconductor elements are arranged so as to
15 be adjacent to each other.
4. The power supply apparatus according to claim 1,
wherein said semiconductor element is a GaN-FET.
- 20 5. A power supply apparatus comprising:
a semiconductor element, disposed in the path of a
main current that is a subject of power control, and formed
by using a GaN compound; and
a control unit which conducts switching control on
25 conduction of the main current flowing through said

00000000000000000000000000000000

semiconductor element.

6. The power supply apparatus according to claim 5,
wherein said semiconductor element is provided in plurality,
5 and said semiconductor elements are connected in parallel.

7. The power supply apparatus according to claim 6,
wherein said semiconductor elements are arranged so as to
be adjacent to each other.

10

8. The power supply apparatus according to claim 5,
wherein said semiconductor element is a GaN-FET.

9. A power supply circuit having a transformer, and which
15 conducts on/off control on voltage applied to a primary
winding of said transformer, and thereby supplies a
stabilized power supply voltage to a secondary winding side
of said transformer, further comprising:
10

a GaN-FET connected to the primary winding of said
20 transformer and on/off-controlled by a gate signal.

10. A large current load current load control apparatus
that conducts on/off control on a current supplied from a
power source according to a predetermined instruction and
25 supplies a resultant current to an electric load, said large

0926263-121203

current load current load control apparatus comprising:

a GaN-FET, connected to a power source line that connects said source to said load, and which conducts the on/off control.